

LocknLock



HƯỚNG DẪN SỬ DỤNG

HỘP CƠM ĐIỆN EJR216


220-240V, 50/60Hz, 270W, 2L

Hãy đọc hướng dẫn sử dụng trước khi dùng để sử dụng sản phẩm an toàn và đúng cách.
Giữ lại Hướng dẫn sử dụng này ở nơi thuận tiện nhất để khi cần đến có thể dễ dàng sử dụng.

MỤC LỤC

Thành phần cấu tạo	3
Cảnh báo an toàn	4
Trước khi sử dụng	4
Hướng dẫn sử dụng	5
Cách cài đặt thời gian nấu	7
Cách cài đặt hẹn thời gian nấu	7
Mức nước cần thiết và thời gian	8
Hướng dẫn vệ sinh	9
Hướng dẫn cất giữ	9

THÀNH PHẦN CẤU TẠO



- | | |
|-------------------------------|---------------------------------|
| 1) Tay cầm | 7) Nắp đáy giữa |
| 2) Lỗ thoát hơi | 8) Hộp chứa inox SUS304 1.1L |
| 3) Nắp đáy trên | 9) Thân máy |
| 4) Khóa | 10) 2 cái nắp nhựa đáy hộp chứa |
| 5) Hộp chứa inox SUS304 0.65L | 11) Cốc đo lường |
| 6) Khay hấp trứng | 12) Dây điện |

CẢNH BÁO AN TOÀN

1. Trước khi sử dụng, vui lòng đảm bảo điện áp định mức được ghi trên nhãn sản phẩm phù hợp với điện áp tại gia.
2. Sử dụng nguồn điện có nối đất để ngăn ngừa bất kỳ sự cố nào.
3. Không để thiết bị trên thảm, nhựa hoặc các vật liệu không chịu nhiệt khác. Nếu thiết bị không tự động tắt khi nước cạn, hãy đổ thêm nước hoặc rút phích cắm ra khỏi ổ cắm ngay lập tức.
4. Không chạm vào phần đốt nóng của thiết bị.
5. Hãy chú ý đến hơi nước được tạo ra khi thiết bị hoạt động.
6. Vì sẽ còn hơi nước bên trong thân hộp cơm, hãy đợi vài phút trước khi mở nắp để tránh bị bỏng.
7. Hộp cơm được bảo vệ chống quá nhiệt. Sau khi sử dụng, sẽ mất khoảng 5 phút để nguội. Trong khi giảm nhiệt, đèn báo sẽ không sáng.
8. Không bao giờ đặt thiết bị này vào nước hoặc bất kỳ chất lỏng nào khác, cũng như không rửa nó dưới vòi nước. Lau sạch bên ngoài thiết bị bằng khăn ẩm.
9. Không vận hành thiết bị nếu dây nguồn hoặc phích cắm bị hỏng.
10. Nếu dây nguồn bị hỏng, nó phải được thay thế bởi nhà sản xuất hoặc đại lý dịch vụ của hãng hoặc những người có trình độ tương tự để tránh nguy hiểm.
11. Thiết bị này không nhằm mục đích sử dụng cho những người (bao gồm cả trẻ em) bị suy giảm khả năng thể chất, giác quan hoặc tinh thần, hoặc thiếu kinh nghiệm và kiến thức, trừ khi họ được người chịu trách nhiệm về việc sử dụng thiết bị sự an toàn.
12. Trẻ em nên được giám sát để đảm bảo rằng chúng không nghịch thiết bị.
13. Thiết bị này được thiết kế để sử dụng trong gia đình và các ứng dụng tương tự như:
 - Khu vực bếp của nhân viên trong các cửa hàng, văn phòng và các môi trường làm việc khác.
 - Nhà trang trại.
 - Bởi khách hàng trong các khách sạn, nhà nghỉ và các môi trường kiểu dân cư khác.

TRƯỚC KHI SỬ DỤNG

1. Tháo bỏ toàn bộ bao bì đóng gói và tem nhãn.
2. Rửa sạch hộp chứa inox, nắp đậy hộp chứa, cốc đo lường, nắp đậy trên, nắp đậy giữa bằng miếng chùi mỏng. Không được rửa thân máy và dây điện.


HƯỚNG DẪN SỬ DỤNG

⚠ GHI CHÚ

KHÔNG đậy hộp chứa inox bằng nắp nhựa khi vận hành máy

Lựa chọn 1: hâm nóng thức ăn/hấp cơm (dùng 1 lớp hộp chứa)

1. Dùng cốc đo một lượng nước thích hợp (tham khảo bảng hướng dẫn sử dụng nước).
2. Cho nước vào thân máy.
3. Hâm nóng: cho thức ăn mà bạn muốn hâm nóng vào hộp 1.1L.
Hấp cơm: cho một lượng gạo và nước thích hợp vào hộp 1.1L.
4. Đặt hộp inox 1.1L vào thân máy.
5. Đặt nắp đậy trên lên thân máy.
6. Gập 2 khóa vào thân máy.
7. Nhấn nút TIMER, chọn thời gian nấu và bắt đầu.




Lựa chọn 2: hâm nóng thức ăn/hấp cơm (dùng 2 lớp hộp chứa)

1. Dùng cốc đo một lượng nước thích hợp (tham khảo bảng hướng dẫn sử dụng nước).
2. Cho nước vào thân máy.
3. Hâm nóng: cho thức ăn mà bạn muốn hâm nóng vào hộp 0.65L.
Hấp cơm: cho một lượng gạo và nước thích hợp vào hộp 1.1L.


- Đặt hộp inox 1.1L vào thân máy rồi dùng nắp đậy giữa đây lại.
- Sau đó, đặt hộp inox 0.65L trên nắp đậy giữa rồi đặt nắp đậy trên lên.
- Gập 2 khóa vào thân máy.
- Nhấn nút TIMER, chọn thời gian nấu và bắt đầu.

⚠ GHI CHÚ


Để hấp trứng, dùng nắp đậy giữa như là khay đặt trứng để hấp. Đặt 4 quả trứng vào 4 vòng tròn phía trong nắp đậy giữa. Dùng cái thanh nhỏ dưới đáy cốc đo lường để khoét một lỗ nhỏ trên đỉnh quả trứng. Cách này giúp cho trứng không bị nứt trong quá trình hấp.




Cho nước
vào thân máy



Đặt hộp inox 1.1L
vào thân máy




Đặt nắp đậy giữa lên trên
thân máy. Đặt hộp inox 0.65L
vào trên nắp đậy giữa



Đặt nắp đậy trên
lên thân máy
và khóa lại

CÁCH CÀI ĐẶT THỜI GIAN NẤU

- Bạn sẽ nghe âm thanh bíp bíp ngay lúc kết nối thiết bị với nguồn điện.
- Khi đèn báo chỉ chớp tắt, tức là thiết bị đang sẵn sàng sử dụng.
- Để cài đặt thời gian nấu, hãy chú ý vào dãy đèn bên phải tấm điều khiển.
- Nhấn nút TIMER, đèn báo 10 phút sẽ sáng, nghĩa là thời gian nấu là 10 phút, nhấn nút TIMER lần nữa, đèn báo 20 phút sẽ sáng nghĩa là thời gian nấu là 20 phút.
- Tiếp tục nhấn nút TIMER, thiết bị sẽ chuyển từ 10 → 20 → 30 → 10+30 → 20+30 → 10+20+30. Thời gian nấu dài nhất là 60 phút.
- Đèn báo sẽ chớp tắt 10 giây, sau đó sáng hẳn. Thiết bị sẽ bắt đầu hoạt động và tự tắt khi thời gian kết thúc.



CÁCH CÀI ĐẶT HẸN THỜI GIAN NẤU

- Để cài đặt chức năng hẹn giờ nấu, nhấn nút PRESET khi thiết bị đang ở chế độ chờ.
- Khi số 1 sáng lên, nghĩa là thời gian hẹn là 01 giờ, nhấn nút PRESET lần nữa, số 2 sẽ sáng, bây giờ thời gian hẹn là 02 giờ. Tiếp tục nhấn nút PRESET thiết bị sẽ chuyển thời gian hẹn lần lượt từ 1 → 2 → 3 → 1+3 → 2+3 → 1+2+3. Thời gian hẹn dài nhất là 6 giờ.
- Sau khi cài đặt chức năng hẹn giờ xong, nhấn nút TIMER. Đèn báo sẽ chớp tắt 10 giây rồi sáng hẳn. Thiết bị sẽ bắt đầu hoạt động và tự tắt khi thời gian kết thúc.
- Khi thiết bị hoàn tất quá trình nấu, bạn sẽ âm thanh bíp trong vòng 1 phút và thiết bị tự chuyển sang chế độ làm nóng (warm). Bạn có thể nhấn và giữ nút TIMER trong 3 giây để chuyển từ chế độ hâm sang chế độ chờ. Sau đó hãy rút dây điện ra khỏi nguồn điện.
- Tại bất kì thời điểm nào của quá trình nấu hay đếm ngược thời gian hẹn giờ, bạn có thể nhấn và giữ nút TIMER trong vòng 3 giây để hủy tất cả các lệnh đã đặt và chuyển thiết bị về chế độ chờ.

- Trong quá trình nấu hay hâm nóng, bạn có thể nghe âm thanh bíp trong vòng 1 phút nếu nước trong thân máy đã cạn. Bạn cần rút dây điện khỏi phích cắm. Nếu bạn muốn tiếp tục nấu, hãy cho thêm nước vào thân máy, cài đặt lại thời gian và tiếp tục hâm hay hấp thức ăn.

MỨC NƯỚC CẦN THIẾT VÀ THỜI GIAN

Đây là bảng tư vấn mức nước và thời gian nấu. Thời gian nấu bên dưới dùng để tham khảo, vui lòng điều chỉnh cho phù hợp nhu cầu cá nhân (nếu cần) **(mức nước tối đa cho thân máy là 270ml).**

Loại	Nhiệt độ	Tỉ lệ thức ăn	Mức nước trong thực phẩm (ml)	Mức nước trong thân máy (ml)	Thời gian nấu (phút)	Ghi chú
Hâm nóng	Nóng	3/4 hộp	0	100	~20	Lượng nước phù hợp để hâm
Hấp cơm	Cao	~140gr (2 chén cơm cho 1-2 người)	200	100	~20	Sau khi đèn báo tắt, hãy chờ thêm 5-10 phút rồi hãy mở nắp thiết bị
		~210gr (3 chén cơm cho 2-3 người)	270	180	~30	
		~280gr (4 chén cơm cho 4-5 người)	370	220	~40	

Hấp cơm	Cao	~385gr (5.5 chén cơm cho 5-6 người)	490	270	~60	Sau khi đèn báo tắt, hãy chờ thêm 5-10 phút rồi hãy mở nắp thiết bị
Luộc trứng	Cao	4 quả	0	100	~20	

⚠ GHI CHÚ

- Không nấu quá 20gr gạo nếu dùng hộp 0.65L
- 1 cốc đo lường tương đương 70gr gạo

HƯỚNG DẪN VỆ SINH

Luôn luôn rút phích cắm ra khỏi nguồn điện và để thiết bị nguội hoàn toàn trước khi vệ sinh máy. Không được ngâm thân máy, dây điện vào nước hay các chất lỏng khác. Không dùng chất tẩy rửa mạnh, miếng cọ cứng hay thìa muỗng kim loại để tránh làm trầy thiết bị. Lau khô thiết bị và chắc rằng thiết bị thật khô và sạch cho lần sử dụng tiếp theo.

HƯỚNG DẪN CẮT GIỮ

1. Chắc rằng thiết bị thật khô và sạch trước khi đem cất hoặc sử dụng lần tiếp theo.
2. Nếu bảng điều khiển bị ướt, hãy lau khô trước khi đem cất hoặc sử dụng.

LocknLock



INSTRUCTION MANUAL

ELECTRIC LUNCH BOX EJR216

220-240V, 50/60Hz, 270W, 2L

Read instruction manual before using to use product in safe and appropriate way.
Keep this manual in the proper place in order that we can take it when we need it.

CONTENT

Parts 13

Safety caution 14

Before use 14

Instruction 15

How to set cooking timer 17


How to preset cooking time 17

Water volume and timetable 18

Cleaning instructions 19

Storage instructions 19

PARTS



- | | |
|---------------------------|-----------------------------------|
| 1) Handle | 7) Middle cover |
| 2) Steam vent | 8) 1.1L STS304 Container |
| 3) Upper Cover | 9) Main body |
| 4) Lock | 10) 2 pcs plastics container lids |
| 5) 0.65L STS304 Container | 11) Measuring cup |
| 6) Steam egg rack | 12) Power Cord |

SAFETY CAUTION

1. Before use, please make sure the rated voltage that marked on the product rating label is consistent with the voltage you use.
2. Use power supply with ground protection to prevent any mishap.
3. Do not leave the appliance on the carpet, plastic or other non heat-resistant materials. If the appliance does not power off automatically after the water runs dry, add in some more water or remove the power plug from the socket immediately.
4. Do not touch the heating plate.
5. Be mindful of the steam generated when the appliance is working.
6. As there will be remaining steam inside the lunch box body, wait for a few minutes before opening the lid to avoid scalding.
7. The lunch box is protected against overheating. After use, it will take approximately 5 minutes to cool down. While cooling down, the indicator light will not light up.
8. Never place the body part in water or any other liquid, nor rinse it under the tap. Clean the outside of the body part with a moist cloth.
9. Do not operate the appliance if the power cord or plug is damaged.
10. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
11. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
12. Children should be supervised to ensure that they do not play with the appliance.
13. This appliance is intended to be used in household and similar applications such as:
 - Staff kitchen areas in shops, offices and other working environments.
 - Farm houses.
 - By clients in hotels, motels and other residential type environments.

BEFORE USE

1. Remove all packaging material and stickers
2. Clean the stainless steel container, plastic container lid, measuring cup, upper cover and middle cover with a non-abrasive sponge. Do not wash the main body and power cord.


INSTRUCTION

⚠ NOTE

Please do not cover the stainless steel container with plastic lids when operating the appliance.

Option 1 : Reheat Food / Steam Rice (using single layer)

1. Use the measuring cup to measure proper amount of water (you may use the provided table for water volume reference)
2. Add water into the main body.
3. For reheat- steel container. For steam rice-Add proper amount of rice and water into the 1.1L stainless steel container.
4. Place the stainless steel container into the main body.
5. Cover with the upper cover.
6. Fold the lock on the upper cover to lock with the main body.
7. Press the 'timer' button, select the cooking time and start cooking. Fill the food you want to reheat into the 1.1L stainless steel container.



Option 2: Reheat Food/ Steam Rice (using double layer)

1. Use the measuring cup to measure proper amount of water (you may use the provided table for water volume reference)
2. Add water into the main body.
3. For reheat - Fill the food you want to reheat into the 0.65L stainless steel container. For steam rice - Add proper amount of rice and water into the


- 1.1L stainless steel container.
4. Place the 1.1L stainless steel container into the main body, and cover with the middle cover.
5. Then, place the 0.65L stainless steel container on the middle cover, and cover with the upper cover.
6. Fold the lock on the upper cover to lock with the main body.
7. Press the 'timer' button, select the cooking time and start cooking.

⚠ NOTE

To steam boiled egg, use the middle cover as egg tray to boil egg. Place up to 4 eggs on the 4 circles with holes inside the middle cover. Use the small nail at the bottom of the measuring cup to punch a small hole on the egg shell. This is to prevent the egg shell from cracking during the steaming.




Measuring cup



Add water into the main body




1.1L STS container



Place the 1.1L stainless steel




0.65L STS container



Middle cover

Place middle cover on the main body.
Place the 0.65L stainless steel container on the middle cover.




Upper cover
Lock

Cover with upper cover

HOW TO SET COOKING TIMER

1. You will hear two beeps sound after the appliance connected to the power supply.
2. When the indicator lights flashing, the appliance is in standby mode and it is ready to be used.
3. To set the cooking timer, look at the right indication light on the control panel.
4. Press the "Timer" button and the "10" will light up, which means cooking time is set for 10mins. Press the "Timer" button again, the "20" will light up and now the cooking time is set for 20mins.
5. Continue pressing the "Timer" button will change the timer from 10 → 20 → 0 → 10+30 → 20+30 → 10+20+30. The longest cooking time can be set is 60mins.
6. The light will flash for 10 seconds and then stay lighted. The appliance will start cooking and turn off itself when the time is up.



HOW TO PRESET COOKING TIME

1. To preset cooking time, press the "Preset" button when the appliance is in standby mode.
2. When "1" light up, which means preset time is set for 1 hour. Press the "Preset" button again, the "2" light up. Now the preset time is 2 hours. Continue pressing the "Preset" button will change the preset time from 1 → 2 → 3 → 1+3 → 2+3 → 1+2+3. The longest preset time can be set is 6 hours.
3. After setting the preset time, press the "Timer" button. The light will flash for 10 seconds and then stay lighted. The appliance will start cooking and turn off itself when the time is up.
- When cooking is done, you will hear 1min beeping sound and the appliance turn itself into keep warm mode, You can press and hold the "Timer" button for 3 seconds to change the keep warm mode into standby mode. Then, unplug the power cord from main body and power supply socket.
- At any time during the cooking or preset time countdown, you can press and hold "Timer" button for 3 seconds to cancel the operation and turn the appliance into standby mode.

- During cooking or keep warm status if the water in the main body dry out, you will hear 1min beeping sound. You need to unplug the power cord from main body and power supply socket. If you want to continue cooking, add water into the main body and set the time again for cooking or reheating.

WATER VOLUME AND TIMETABLE

Recommended water volume and timetable. Timetable is for reference only. Please adjust according to personal needs **(The maximum water level for the main body is 270ml only)**

Cook type	Temp	Foods Portion	Water volume in to the food (ml)	Water volume in to the machine body(ml)	Cooking time (mins)	Note
Reheat	Heating	3/4 container	0	100	~20	The water amount is suitable to heat cold food
Cook rice		~140gr (2 cups of rice, for 1-2 people)	200	100	~20	After the indicator lights turns off please wait for about 5-10 minutes before opening the cover.
	High	~210gr (3 cups of rice for 2-3 people)	270	180	~30	

Cook rice		~280gr (4 cups of rice for 4-5 people)	370	220	~40	After the indicator lights turns off please wait for about 5-10 minutes before opening the cover.
	High	~385gr (5.5 cups of rice for 5-6 people)	490	270	~60	
Boiling eggs	High	4 pcs	0	100	~20	

▲ NOTE

- Do not put over 200g of rice if using 0.65L container
- 1 cup of rice equal to full measuring cup. 1 cup of rice is around 70g.

CLEANING INSTRUCTIONS

Always switch off and unplug the appliance and let it completely cool down before cleaning. Never immerse the main body, power cord and plug in water or any other liquids. DO NOT use abrasives, scourers or metal utensils to avoid scratching or damaging the unit. Wipe the unit dry. Always make sure the appliance is clean and dry before use.

STORAGE INSTRUCTIONS

1. Always make sure the appliance is clean and dry before storage/next use.
2. If the control panel is wet, wipe it dry before storage/next use.