

LOCK&LOCK



HƯỚNG DẪN SỬ DỤNG

NỒI ĐIỆN ĐA NĂNG EJC141

220-240V, 50/60Hz, 600-700W, 1.5L

Hãy đọc hướng dẫn sử dụng trước khi dùng để sử dụng sản phẩm an toàn và đúng cách.
Giữ lại Hướng dẫn sử dụng này ở nơi thuận tiện nhất để khi cần đến có thể dễ dàng sử dụng.

MỤC LỤC

Thông số kỹ thuật
Cảnh báo an toàn
Cấu tạo thiết bị
Hướng dẫn sử dụng
Vệ sinh và bảo trì
Các sự cố thường gặp


3
3
4
5
7
8

THÔNG SỐ KỸ THUẬT

Mã sản phẩm	EJC141
Điện áp	220-240V
Tần số	50/60Hz
Công suất	600-700W
Dung tích	1.5L

CẢNH BÁO AN TOÀN


- Không ngâm nồi, dây điện, phích cắm, đế vào nước hay chất lỏng khác.




- Thiết bị này được thiết kế sử dụng trong hộ gia đình và nhà sản xuất không đảm bảo bất kỳ hậu quả nào từ việc sử dụng trong thương mại hoặc không tuân thủ hướng dẫn sử dụng.
- Kết nối phích cắm với ổ cắm bằng dây nối đất hoặc với bảng điện nối đất.
- Kiểm tra điện áp trên nhãn dán kỹ thuật của thiết bị có phù hợp với điện áp được sử dụng trong nhà của bạn hay không.
- Đặt thiết bị lên bề mặt phẳng, ổn định và chịu nhiệt.
- Giữ thiết bị và dây nguồn tránh xa các bề mặt nóng, ẩm, hoặc các cạnh sắc.
- Có thể sử dụng thiết bị sau khi đầy nắp và đặt lên đế điện.
- Không sử dụng thiết bị khi tay ướt hoặc chân trần.
- Không sử dụng thiết bị và để trên bề mặt có nhiệt độ cao hoặc gần lớp xe đang hờ.
- Nếu thiết bị không hoạt động, rút phích cắm điện kịp thời. Không rút phích cắm điện bằng cách kéo dây nguồn.
- Không treo dây điện ở mép bàn phòng trường hợp bị rơi.
- Nhiệt độ bề mặt thiết bị cao khi hoạt động. Không chạm vào nắp thủy tinh hoặc lỗ thông hơi để tránh bị bỏng.

- Không mở nắp hoặc di chuyển thiết bị khi thiết bị đang hoạt động để tránh bị bỏng.
- Giữ thiết bị khô ráo.
- Tháo phích cắm khi không sử dụng trong thời gian dài, hoặc khi vệ sinh.
- Đổ nước ra khỏi thiết bị khi không sử dụng.
- Thiết bị này không thích hợp cho những người bị hạn chế về thể chất hoặc trí tuệ (bao gồm trẻ em), hoặc những người thiếu kinh nghiệm và kiến thức sử dụng, trừ khi được giám sát và hướng dẫn bởi người chịu trách nhiệm về sự an toàn của họ.
- Không để trẻ em chơi với thiết bị.
- Thiết bị này phải được sử dụng cùng với đế điện đi kèm.
- Không sử dụng thiết bị khi phích cắm điện bị hỏng. Để tránh nguy hiểm, đến trung tâm bảo hành để thay thế hoặc sửa chữa.
- Nếu thiết bị bị hư hỏng, không tiếp tục sử dụng và không tự tháo dỡ thiết bị.
- Nhà sản xuất chỉ bảo hành đối với lỗi sản xuất và sử dụng trong gia đình, không vận hành theo hướng dẫn sử dụng thì không được bảo hành.
- Tất cả các thiết bị đều tuân thủ nghiêm ngặt các quy trình kiểm soát chất lượng, bao gồm cả việc kiểm tra các thiết bị lấy mẫu ngẫu nhiên.

CẤU TẠO THIẾT BỊ



HƯỚNG DẪN SỬ DỤNG



NOODLE (NẤU MÌ)

- Nhấn nút “MENU” để chọn “NOODLE” và sau đó nhấn “HEAT” để bắt đầu.
- Nhấn nút “HEAT” và chuông kêu một lần, đèn sẽ nhấp nháy ba lần trước khi bắt đầu hoạt động. Đèn “NOODLE” nhấp nháy để biểu thị trạng thái làm việc hiện tại.
- Khi sôi, thiết bị chuyển sang 300W và kéo dài trong khoảng 10 phút.
- Chuông báo nhắc chuyển sang chế độ chờ và màn hình hiển thị “- -” nhấp nháy trong 1 phút.
- Sau đó, đèn tắt và nút nguồn nhấp nháy.

Chú ý:

- Nhấn nút ▼/▲ để điều chỉnh công suất từ 100W – 600W.
- “-1-” là 100W.
- Không đậy nắp nồi trong khi nấu.
- Sau khi nước sôi khoảng 10 phút, thiết bị sẽ ngừng hoạt động và chuyển sang trạng thái chờ.

COOKING (NẤU ĂN)

- Nhấn nút “MENU” để chọn “COOKING” và sau đó nhấn “HEAT” để bắt đầu.
- Nhấn nút “HEAT” và chuông kêu một lần, đèn sẽ nhấp nháy ba lần trước khi bắt đầu hoạt động. Đèn “COOKING” sẽ nhấp nháy để biểu thị trạng thái làm việc hiện tại.
- Sau khi tiếng chuông dừng, màn hình hiển thị “- -” nhấp nháy sau 1 phút, nút nguồn sáng.

Chú ý:

- Tỷ lệ gạo với nước là 6:1. Không vượt quá mức nước tối đa sau khi thêm nguyên liệu.
- Sau khi nấu xong, thiết bị chuyển sang trạng thái giữ ấm, thời gian giữ ấm là 60 phút.

HOT POT (NẤU LẤU)

- Nhấn nút “MENU” để chọn “HOT POT” và sau đó nhấn “HEAT” để bắt đầu làm việc.
- Nhấn nút “HEAT” và chuông kêu một lần, đèn sẽ nhấp nháy ba lần trước khi bắt đầu hoạt động. Đèn nhấp nháy để biểu thị trạng thái làm việc hiện tại. Tổng thời gian hoạt động là khoảng 1 giờ sau khi nước sôi, và toàn bộ quá trình hiển thị nhiệt độ.
- Sau khi tiếng chuông dừng, màn hình hiển thị “- -” nhấp nháy sau 1 phút, sau đó đèn tắt và nút nguồn nhấp nháy.
- Nhấn nút ▼/▲ để điều chỉnh công suất từ 100W – 600W.
- “-1-” là 100W.

WARM (HÂM NÓNG)

- Nhấn nút “MENU” để chọn “WARM” và sau đó nhấn “HEAT” để bắt đầu.
- Nhấn nút “HEAT” và đèn sẽ nhấp nháy ba lần trước khi bắt đầu hoạt động. Đèn nhấp nháy để biểu thị trạng thái làm việc hiện tại.
- Nhiệt độ mặc định là 40°C.
- Sau khi tiếng chuông dừng, màn hình hiển thị “- -” nhấp nháy.
- Thời gian hâm: 1h-4h. Bấm nút ▼/▲ để thiết lập thời gian.

MENU

- Nhấn nút “MENU” để chọn NOODLE, COOKING, HOT POT, WARM.
- Nhấn “MENU” thì đèn sẽ sáng cho biết chế độ hiện tại. Chế độ khác không được chọn thì đèn sẽ tắt.
- Sau khi chọn chế độ làm việc, nhấn nút “HEAT” để khởi động thiết bị.
- Nếu không chọn chế độ làm việc nào, nhấn nút “HEAT” để đun sôi nước (100°C).

HEAT (LÀM NÓNG)

- Chọn chế độ này và thiết bị sẽ vào trạng thái "LÀM NÓNG".

CANCEL (HỦY)

- Nhấn nút này bất kì lúc nào, thiết bị sẽ ngừng nấu và vào trạng thái chờ.
- Nhấn nút “CANCEL” sau khi chọn chức năng, màn hình sẽ hiển thị “- -” sau 5 phút và đèn sẽ tắt.

TEMP (NHIỆT ĐỘ)

- Nhấn nút này để chuyển hiển thị giữa thời gian và nhiệt độ.
- Trong chế độ giữ ấm, nhấn nút ▼/▲ để cài đặt nhiệt độ làm nóng.
- Trong chế độ giữ ấm, sau khi nhấn nút “TEMP”, màn hình hiển thị “1H”, nhấn nút ▼/▲ để cài đặt thời gian làm nóng.

POWER (NÚT NGUỒN)

- Khi thiết bị đang hoạt động, nhấn vào “” để thoát và rời giữ “” để tắt trong khoảng 2 giây (tắt cả đèn đều tắt). Nút nguồn có chức năng tắt máy ở bất kỳ trạng thái nào.

VỆ SINH VÀ BẢO TRÌ

VỆ SINH SAU MỖI LẦN SỬ DỤNG

- Tắt dây nguồn.
- Sau khi thiết bị nguội, làm sạch thân nồi bên trong bằng miếng tẩy rửa ướ.

Chú ý:

Không nhúng thiết bị, tẩm đun hoặc phích cắm vào nước.

- Rửa thiết bị kịp thời sau khi sử dụng để tránh thực phẩm bám vào thiết bị.

MỆO VỆ SINH CẶN BẮN

Thiết bị nên được loại bỏ cặn bẩn thường xuyên, ít nhất một lần một tháng. Nếu chất lượng nước kém, tần suất nên được tăng lên.

Sử dụng giấm trắng:

- Đổ giấm trắng vào thiết bị.
- Ngâm trong vòng 1 giờ.
- Rửa lại với nước 5-6 lần sau khi đổ giấm trắng. Lặp lại nếu cần thiết.

Sử dụng axit citric:

- Đổ nước vào nồi và đun sôi.
- Thêm khoảng 20 gram axit citric và để yên trong 15 phút.
- Rửa lại bằng nước 5-6 lần sau khi đổ axit citric. Lặp lại nếu cần thiết.

PHÂN TÍCH CÁC LỖI THƯỜNG GẶP

STT	Hiện tượng	Nguyên nhân	Giải pháp
1	Khi đặt thiết bị lên tấm đun, không có âm thanh phát ra và đèn không sáng	Không có nguồn điện	Kiểm tra xem thiết bị đã được kết nối với nguồn điện chưa
2	Khi đặt thiết bị lên tấm đun, đèn báo sáng nhưng nút ấn không hoạt động.	Nước ngấm vào tấm đun, dẫn đến việc hư hỏng các linh kiện điện tử	Không ngấm tấm đun trong nước
3	Đèn sáng nhưng thiết bị không nóng	Tấm đun bị hỏng	Gửi đến trung tâm bảo hành
4	Sau khi sử dụng một thời gian, điện bị rò rỉ	Làm rơi rớt thiết bị và tấm đun	Sử dụng thiết bị cẩn thận, tránh làm rơi rớt để tránh các sự cố rò rỉ điện
5	Nước nấu lâu sôi	Điện áp cung cấp quá thấp và nhiệt độ nước quá thấp	Tăng thêm thời gian và nhiệt độ nấu
6	Không có phản hồi gì sau khi chuông báo	Nhiệt độ cao ảnh hưởng đến công tắc bên trong	Để thiết bị nguội đi trong 20 phút rồi tiếp tục sử dụng
7	Tiếng chuông reo không ngừng	1. Tiếp xúc kém với phích cắm và ổ cắm. 2. Linh kiện điện tử hư hỏng	1. Kiểm tra xem tấm đun được kết nối với nguồn điện hay chưa 2. Gửi đến trung tâm bảo hành
8	Nút đèn tắt	Linh kiện điện tử hư hỏng	Gửi đến trung tâm bảo hành

LOCK&LOCK



INSTRUCTION MANUAL

MULTI POT EJC141
220-240V, 50/60Hz, 600-700W, 1.5L

Read instruction manual before using to use product in safe and appropriate way. Keep this manual in the proper place in order that we can take it when we need it.

CONTENT


Technical specification	11
Security warning	11
Product structure	12
How to use	13
Cleaning and maintenance	15
Trouble shooting	16

TECHNICAL SPECIFICATION

Item code	EJC141
Voltage	220-240V
Frequency	50/60Hz
Power	600-700W
Capacity	1.5L

SECURITY WARNING


- Do not immerse the cooker, power cord, plug or power base in water or other liquids.



- This product is designed for household and the manufacturer does not guarantee any commercial or non-compliance consequences.
- The plug can only be connected to a socket with a ground wire or to a grounded power board.
- Please check the voltage label on the product specification is consistent with the voltage used in your home.
- Please place the product on a flat, stable, heat-resistant surfaces.
- Keep the cooker and power cord away from hot, damp, smooth surfaces or sharp edges.
- The electric cooker can be used after the lid is covered and power base is placed.
- Do not use the cooker when hands are wet or barefoot.
- Do not use the electric cooker and base on a high temperature surface or near an open fire.
- If the electric cooker does not work, please remove the power plug in time. Do not disconnect the power plug by pulling the power cord.
- Do not hang the power cord at the edge of table in case of falling.
- The temperature of the cooker surface is high when working. Do not touch the glass lid or -close to the air vent to avoid scalding.

- Do not open or move the electric cooker while working to prevent burns.
- Keep the electric cooker dry.
- Remove the plug when not in use for a long time, or when cleaning.
- Please pour the water out of the pot when not in use.
- This product is not suitable for people with physical or intellectual limitations (including children), or people who lack experience and knowledge, unless supervised and directed, and ensure its safety.
- Keep children away from playing.
- This product must be used together with the matched base. Do not use other bases.
- Do not use the cooker when the power plug is damaged. To avoid danger, please go to the service center for replacement or repair.
- If your product is damaged or cannot be used, please do not continue to use it and do not dismantle it by yourself.
- The manufacturer only provides warranty for production defects and household use, and failure to operate according to the manual is not covered by the warranty.
- All the products are strictly in accordance with the quality control procedures, including the test of random sampling products, so it explains any traces of use of the products.

PRODUCT STRUCTURE



1. Lid
2. Knob
3. Handle
4. Body
5. Power base
6. Operation button

HOW TO USE



NOODLE

- Press "MENU" button to select "NOODLE" and then press "HEAT" to start.
- Press "HEAT" button and the chime sounds once, the light will flash three times before starting operation. The "NOODLE" light flashes to indicate the current working status.
- When boiling, device switches to 300W and lasts for about 10 minutes.
- The alarm reminds to standby mode and the display shows "--" blinking for 1 minute.
- Then the light turns off and the power button blinks.

Note:

- Press ▼/▲ button to adjust the power from 100W – 600W.
- "-1-" is 100W.
- Do not cover the pot while cooking.
- After about 10 minutes of boiling water, the appliance will stop working and go to standby mode.

COOKING

- Press "MENU" button to select "COOKING" and press "HEAT" to start.
- Press "HEAT" button and the chime sounds once, the light will flash three times before starting operation. The "COOKING" light will flash to indicate the current working status.
- After the bell stops, the display shows "--" flashing for 1 minute, the power button lights up.

Note:

- The ratio of rice to water is 6:1. Do not exceed the maximum water level after adding ingredients.
- After cooking is finished, the appliance goes into the keep warm mode, the keep warm time is 60 minutes.

HOT POT

- Press “MENU” button to select “HOT POT” and then press “HEAT” to start working.
- Press “HEAT” button and the chime sounds once, the light will flash three times before starting operation. Flashes to indicate current working status. The total operation time is about 1 hour after the water is boiled, and the whole process displays the temperature.
- After the chime stops, the display shows “- -” flashing after 1 minute, then the light goes off and the power button blinks.
- Press ▼ / ▲ button to adjust the power from 100W – 600W.
- “-1-” is 100W.

WARM

- Press “MENU” button to select “WARM” and then press “HEAT” to start.
- Press “HEAT” button and the light will flash three times before starting operation. Flashes to indicate current working status.
- The default temperature is 40°C.
- After the ringing stops, the display shows “- -”.
- Warming time: 1h-4h. Press ▼ / ▲ button to set the time.

MENU

- Press “MENU” button to select NOODLE, COOKING, HOT POT, WARM.
- Press “MENU” and the light will light to indicate the current mode. The other mode is not selected, the light will turn off.
- After selecting the working mode, press “HEAT” button to start the device.
- If no working mode is selected, press “HEAT” button to boil water (100°C).

HEAT

- Select this mode and the unit will enter the heating mode.

CANCEL

- Press this button at any time, the appliance will stop cooking and enter the standby mode.
- Press “CANCEL” button after selecting the function, the display will show “- -” for 5 minutes and the light will turn off.

TEMP

- Press this button to switch display between time and temperature.
- In keep warm mode, press ▼ / ▲ button to set heating temperature.
- In keep warm mode, after pressing “TEMP” button, the display shows “1H”, press ▼ / ▲ button to set warm-up time.

POWER

- When the device is active, click “⏻” to exit and then hold “⏻” to turn off for about 2 seconds (all lights are off). The power button has the function to turn off the machine in any state.

CLEANING AND MAINTENANCE

CLEANING AFTER EACH USE

- Turn off the power cord.
- After the appliance cools, clean the inner pot body with a wet cleaning pad.

Note:

Do not immerse the appliance, heating plate or plug in water.

- Wash the device promptly after use to prevent food from getting on the device.

DUST CLEANING TIPS

The appliance should be descaled regularly, at least once a month. If the water quality is poor, the frequency should be increased.

Use white vinegar:

- Pour white vinegar into the appliance.
- Soak for 1 hour.
- Rinse with water 5-6 times after pouring white vinegar. Repeat if necessary.

Using citric acid:

- Fill the pot with water and boil.
- Add about 20 grams of citric acid and keep in 15 minutes.
- Rinse with water 5-6 times after pouring citric acid. Repeat if necessary.

MEMO

No	Problem	Reason	Solution
1	When the appliance is placed on the heating plate, there is no sound and the lamp does not light	No power supply	Check that the device is connected to a power source
2	When the appliance is placed on the heating plate, the indicator light is on but the button does not work	Water seeps into the heating plate, leading to damage to electronic components	Do not immerse the heating plate in water
3	The light is on, but the device does not work	The heating plate is damaged	Send to a service center
4	After using it for a while, electricity leaks	The appliance and the heating plate are dropped	Use the device with care, avoid dropping it to prevent electrical leakage accident
5	The water boils for a long time	The supply voltage and the water temperature are too low	Increase cooking time and temperature
6	No response after alarm	High temperature affects the internal switch	Let the device to cool down for 20 minutes, then continue using it
7	The bell rang non-stop	1. Poor contact with plugs and sockets 2. Electronic components damaged	1. Check if the heating plate is connected to a power source 2. Send it to a service center
8	The light button is off	Damaged electronic components	Send to a service center

[illegible]

[illegible][illegible]