

LocknLock



HƯỚNG DẪN SỬ DỤNG

NỒI CƠM ĐIỆN DIGITAL RICE COOKER EJ716IVY
220V, 50Hz, 400W, 0.8L

Hãy đọc hướng dẫn sử dụng trước khi dùng để sử dụng sản phẩm an toàn và đúng cách.
Giữ lại Hướng dẫn sử dụng này ở nơi thuận tiện nhất để khi cần đến có thể dễ dàng sử dụng.

MỤC LỤC

Cảnh báo an toàn	3
Cấu tạo thiết bị	5
Bảng điều khiển	6
Các bước vận hành	6
Các bước chuẩn bị	7
Hướng dẫn vận hành	8
Làm sạch và bảo quản	9
Xử lý sự cố	10
Phân tích lỗi hiển thị	10
Thông số kỹ thuật	11


CẢNH BÁO AN TOÀN

1. Những cảnh báo này rất quan trọng để tránh các nguy hiểm và tổn thất cho bạn và người khác. Vui lòng chấp hành theo.
2. Việc sử dụng sai thiết bị mà không chấp hành các tín hiệu sau có thể dẫn đến tổn thương nhân sự và hư hỏng tài sản.
3. Để thiết bị xa tầm với của trẻ em. Trẻ em không được phép sử dụng thiết bị để tránh điện giật và bỏng nước.
4. Không được chèn bất kì tấm kim loại hoặc dây vào trong thiết bị hoặc giữa các khoảng trống trên thiết bị, nếu không sẽ gây điện giật và hoạt động sai chức năng.
5. Không để thiết bị trực tiếp trên lửa hay gần bất kì nguồn nóng nào, vì có thể gây ra hư hỏng hoặc tai nạn.
6. Vui lòng không đặt thiết bị này trên mặt phẳng không bền, ẩm, nhiệt độ cao và không chịu nhiệt (như khăn trải bàn bằng nhựa, vải cotton, thảm, v.v.), để tránh tai nạn, thương tích và tổn thất tài sản do điện giật, lửa, rơi vỡ...
7. Trong trường hợp vệ sinh, di chuyển, bảo trì thiết bị, vui lòng rút phích cắm để tránh rò rỉ hoặc máy tự khởi động ngẫu nhiên.
8. Vui lòng không sử dụng khi đường dây điện hoặc phích cắm bị hỏng hoặc ổ cắm bị lỏng, để tránh bị điện giật và hỏa hoạn.
9. Vui lòng sử dụng dây nguồn chuyên biệt. Trong trường hợp hư hỏng, vui lòng mua từ trung tâm dịch vụ sau bán hàng để thay thế.
10. Vui lòng sử dụng riêng ổ cắm điện riêng biệt với 10A hoặc cao hơn, không dùng chung ổ cắm với các thiết bị điện công suất cao khác cùng một lúc, để tránh hỏa hoạn do dòng điện quá mức gây ra.
11. Không cầm hoặc rút phích cắm bằng tay ướt, nếu không sẽ gây ra điện giật hoặc chấn thương.
12. Trong quá trình hoạt động, thiết bị sẽ tạo ra nhiệt độ và hơi nước nóng. Giữ tay và mặt tránh xa lỗ thông hơi để tránh bỏng nước.
13. Lòng nồi bên trong không được va chạm hoặc đặt trực tiếp lên các nguồn nhiệt khác để nấu, chẳng hạn như bếp gas, nếu không nó rất dễ bị biến dạng.
14. Giữ thân máy tránh xa nước. Không được phép rửa dưới vòi nước chảy hoặc ngâm trong nước để tránh điện giật và chập mạch.
15. Giữ phích cắm để rút phích cắm. Không kéo đường dây điện, nếu không sẽ dễ làm hỏng đường dây điện.
16. Khi không sử dụng, vui lòng rút dây nguồn để tránh đoản mạch, lão hóa thiết bị...
17. Sản phẩm này chỉ dành cho sử dụng trong nhà, không dành cho những nơi ẩm ướt hoặc sử dụng ngoài trời, để ngăn ngừa điện giật và hư hỏng do lão hóa thiết bị.

18. Trước khi sử dụng, cần đảm bảo rằng dây nguồn được kết nối tương thích với nguồn điện, nếu không thiết bị sẽ bị hỏng do tiếp xúc kém.
19. Đáy và cạnh của lòng nồi trong phải được giữ sạch. Không được dính nước, hạt gạo và tạp phẩm ở bề mặt đáy và bề mặt của tấm gia nhiệt. Lòng nồi trong phải được đặt ổn định, nếu không các bộ phận sẽ bị cháy do tiếp xúc kém giữa tấm gia nhiệt và nồi trong.
20. Bất kỳ cá nhân không khỏe mạnh nào khi sử dụng sản phẩm này, vui lòng tham khảo ý kiến nhân viên y tế để được hướng dẫn.
21. Không đặt bất kỳ hàng hóa đóng gói, đóng hộp hoặc đóng chai vào thiết bị này để đun nóng, nếu không, sẽ có nguy cơ nổ.
22. Nghiêm cấm sử dụng bất kỳ sản phẩm bên trong nào không được cung cấp bởi sản phẩm để ngăn chặn thành phần quá nóng bị hỏng.
23. Nguồn điện tương thích là AC 220V-50Hz. Không nên sử dụng nguồn điện khác, nếu không các bộ phận sẽ bị hư hỏng hoặc hỏa hoạn, điện giật và các tai nạn khác sẽ xảy ra.
24. Khi phích cắm được cắm vào ổ cắm, nó phải được cắm thật sát (chặt). Nếu không, các thành phần sẽ bị quá nóng và cháy do tiếp xúc kém, gây chập điện hoặc hỏa hoạn.
25. Trong trường hợp sản phẩm bị lỗi, vui lòng gửi cho bộ phận dịch vụ sau bán hàng để bảo trì. Không tự tháo dỡ sản phẩm hoặc tự thay thế các phụ kiện để tránh hỏa hoạn, điện giật hoặc thương tích.
26. Khi sản phẩm đang hoạt động, vui lòng không che nó bằng vải ướt, trong trường hợp hơi nước không thể được thoát ra và phần thân không thể tản nhiệt sẽ gây hư hỏng cho thiết bị.
27. Không di chuyển thiết bị khi thiết bị đang hoạt động.
28. Độ cao hoạt động bình thường của sản phẩm này là 0 ~ 2000m.
29. Khi sản phẩm đang hoạt động, nhiệt độ sẽ tăng. Không chạm trực tiếp vào phần kim loại của sản phẩm để tránh bị bỏng.
30. Trong trường hợp mất điện khi đang vận hành, vui lòng rút phích cắm trước, sau đó cắm lại để hoạt động.
31. Vui lòng không mở nắp khi sản phẩm đang hoạt động để tránh bỏng nước.
32. Sau khi mở gói, vui lòng vứt các túi nhựa vào thùng rác ngay lập tức để ngăn trẻ em chơi với chúng, dẫn đến nguy cơ nghẹt thở.
33. Dây nối đất của ổ cắm phải được nối đất tốt.
34. Đảm bảo rằng dây nguồn không tiếp xúc với các cạnh sắc, gờ gề, các vật sắc nhọn khác hoặc các vật có nhiệt độ bề mặt cao. Điều này có thể gây rò rỉ, điện giật hoặc hỏa hoạn.
35. Sử dụng muỗng dính kèm theo sản phẩm này, không sử dụng muỗng kim loại có cạnh và góc sắc, để tránh làm hỏng nồi trong.
36. Không bắt đầu vận hành mà không có lòng nồi bên trong, để tránh làm hỏng linh kiện.

37. Vui lòng không chạm vào các bộ phận có nhiệt độ cao như nồi trong và vỏ bên trong khi lấy gạo và các vật liệu khác, để tránh bị bỏng nước.
38. Sản phẩm này không áp dụng cho những người sau đây: những người bị rối loạn chức năng cảm giác hoặc tâm lý, những người không có kinh nghiệm hoặc kiến thức liên quan (bao gồm cả trẻ em), v.v. Trừ khi họ chịu sự giám sát và hướng dẫn của chuyên gia. Giám trẻ em để đảm bảo rằng chúng không chơi với sản phẩm.
39. Sản phẩm này chỉ dành cho sử dụng tại nhà. Bất kỳ lỗi nào do sử dụng thương mại, sử dụng không đúng cách hoặc không tuân thủ hướng dẫn này sẽ không được bảo hành và công ty sẽ không chịu trách nhiệm cho bất kỳ tai nạn hoặc thương tích nào do lỗi đó gây ra.
40. Thiết bị không thể hoạt động với bộ hẹn giờ bên ngoài hoặc hệ thống điều khiển từ xa độc lập.
41. Vui lòng không sử dụng nó cho bất kỳ mục đích nào khác ngoài chức năng được chỉ định để tránh thiệt hại cho máy hoặc thương tích cá nhân.
42. Không nấu thức ăn có tính axit (pH <5).

CẤU TẠO THIẾT BỊ



BẢNG ĐIỀU KHIỂN




2 4 6 8 10 12	Thời gian nấu
Fast cook	Nấu nhanh
Firewood rice	Cơm nấu củi
Porridge	Nấu cháo
Timer	Điều chỉnh thời gian nấu
Reheat	Hâm nóng
Steam	Hấp
Soup	Súp
Warm/Cancel	Giữ ấm/Hủy

CÁC BƯỚC VẬN HÀNH

A. CHỌN CHỨC NĂNG

- Kết nối nguồn điện. Nhấn nút “Fast Rice” hoặc “Firewood Rice” để chọn chức năng nấu cơm.




B. ĐIỀU CHỈNH THỜI GIAN

- Nhấn nút “TIMER” để điều chỉnh thời gian nấu.
- Phạm vi nấu: 2 \ 4 \ 6 \ 8 \ 10 \ 12h.


C. KHỞI ĐỘNG HOẠT ĐỘNG

- Sau khi cài đặt thời gian nấu, thả nút “TIMER” ra. Máy sẽ bắt đầu quá trình nấu sau 5 giây.
- Các chế độ nấu có thể dùng chức năng chỉnh thời gian là : Fast cook (Nấu nhanh), Porridge (Nấu cháo), Reheat (Hâm nóng), Steam (Hấp).
- Trạng thái chỉnh giờ: Thay đổi mỗi 2 giờ sau mỗi lần nhấn.
Thời gian nấu ngắn nhất là 2 giờ, thời gian nấu dài nhất là 12 giờ.



CÁC BƯỚC CHUẨN BỊ

- Đo lường lượng gạo, với cốc đo lường.
- Thêm nước.
 - Nếu sử dụng 4 cốc gạo thì đổ thêm nước bằng vị trí đường được đánh dấu số 4.



- Lau khô lòng nồi trong
 - Lau khô bên ngoài lòng nồi trong bằng lớp vải mềm.
 - Đóng nắp và chọn chức năng bạn muốn. Sau đó thiết bị hoạt động.



- Tất cả các chức năng của nồi cơm điện này là khởi động bằng một nút bấm. Sau khi chọn, đèn báo sẽ nhấp nháy để báo hiệu và sau 5 giây, nó sẽ tự động chuyển sang trạng thái hoạt động.
- Lượng nước ở tất cả các chức năng không được cao hơn mực nước tối đa cho phép.

HƯỚNG DẪN VẬN HÀNH

1. GIỮ ẤM

- Sau khi nấu, nồi cơm sẽ tự động vào trạng thái giữ ấm. Hoặc nhấn phím "Warm/ Cancel" để vào trạng thái giữ ấm trong trạng thái chờ.
- Thời gian cho chức năng giữ ấm là 24 giờ.




2. HÂM NÓNG

- Cho phần còn thừa vào nồi trong và trộn đều.
- Rưới một lượng nước uống thích hợp.
- Nhấn nút "Reheat" để vào trạng thái nấu.


3. SÚP

- Làm sạch nguyên liệu, cắt thành từng miếng và cho vào nồi trong.
- Thêm nước vào nồi trong. Mức nước không nên nhiều hơn mức nước tối đa.
- Nhấn nút "Soup". Sau 5 giây thiết bị sẽ vào trạng thái nấu.



4. HẤP

- Thêm nước vào lòng nồi trong.
- Đặt nồi hấp cùng với thức ăn vào trong lòng nồi.
- Nhấn nút "Steam". Sau 5 giây, thiết bị sẽ chuyển sang trạng thái nấu.
- Dưới chế độ hấp, lượng nước nên không nhỏ hơn mức nước của 2 chén gạo và không cao hơn nồi hấp.



5. CHÁO

- Làm sạch các thành phần và đặt chúng vào bên trong nồi trong.
- Thêm lượng nước phù hợp dựa trên mức nước tương đối (phụ thuộc vào lượng gạo).
- Đóng nắp, chọn "Porridge".
- Sau 5s, thiết bị bắt đầu hoạt động.

6. THỜI GIAN DỰ KIẾN CỦA CHẾ ĐỘ NẤU CƠM VÀ NẤU NHANH

CHỨC NĂNG	LƯỢNG GẠO	
	2 chén gạo	4 chén gạo
FAST COOK	Khoảng 25 phút	Khoảng 35 phút
FIREWOOD RICE	Khoảng 50 phút	Khoảng 55 phút


- Dữ liệu này xuất phát từ thử nghiệm trong các điều kiện của phòng thí nghiệm (nhiệt độ phòng: 23°C, điện áp định mức: 220 V, tỷ lệ thể tích gạo / nước: 1 / 1,2, các loại lúa: Fulinmen, độ cao không quá 1000m).
- Thời gian được tính là từ khi bắt đầu nấu đến khi vào trạng thái giữ ấm. Ngoài ra, nó thay đổi tùy theo điện áp, loại gạo, mùa vụ, lượng nước.

LÀM SẠCH VÀ BẢO QUẢN

Lưu ý: Tắt nguồn thiết bị trước khi vệ sinh.


1. LÀM SẠCH THÂN MÁY VÀ LÒNG NỒI TRONG

- Nên cầm lòng nồi cẩn thận để tránh biến dạng do rơi rớt
- Không nên làm sạch nồi bên trong bằng một quả bóng thép hoặc những thứ cứng khác để tránh làm hỏng lớp phủ bên trong.
- Nên loại bỏ bất kỳ nước, gạo hoặc bụi bẩn bên trong hoặc bên ngoài thân máy.
- Lấy nồi trong ra, dùng miếng bọt biển mềm để lau sạch, rồi lau khô bằng vải mềm.



2. LÀM SẠCH NẮP BÊN TRONG VÀ LỖ THÔNG HƠI

- Không nên kéo vòng đệm niêm phong để tháo nắp bên trong.
- Giữ phần tay cầm ở giữa để tháo nó.



XỬ LÝ SỰ CỐ

STT	SỰ CỐ THƯỜNG GẶP	NGUYÊN NHÂN	GIẢI PHÁP
Trước khi nấu	Nút bấm bị liệt.	Dây nguồn có thể bị lỏng.	Kiểm tra dây nguồn.
Trong khi nấu ăn	Hơi thoát ra từ nơi khác, ngoại trừ từ lỗ thông hơi.	Bên ngoài nồi trong không được lau khô.	Làm khô nó.
		Biến dạng của nồi trong.	Chuyển về trung tâm bảo hành.
		Nắp trong hoặc vòng đệm bị hỏng.	Chuyển sang trung tâm dịch vụ để thay thế.
		Nắp không được đóng chặt.	Đóng nắp.
	Nắp tự động bật ra.	Nắp không được đóng chặt.	Đóng nắp.
	Tiếng rít nhẹ.	Âm thanh của hệ thống sưởi, đó là bình thường.	Không bị hỏng. Vui lòng bỏ qua nó.
Hiển thị bất thường	Hơi nước trong màn hình hiển thị, không rõ ràng.	Vòng đệm bị hỏng hoặc có bụi bẩn.	
Có mùi	Có mùi nhựa.	Ngay từ đầu sử dụng, nó là bình thường. Sau khi sử dụng một thời gian, nó sẽ biến mất.	

PHÂN TÍCH LỖI HIỂN THỊ

LỖI THƯỜNG GẶP	NGUYÊN NHÂN	GIẢI PHÁP
Đèn báo không bật	Nguồn điện không được kết nối.	Kiểm tra xem nguồn điện đã được kết nối tốt chưa.
	Lỗi mạch điện.	Chuyển sang trung tâm bảo hành để thay thế.
Không được làm nóng	Lỗi mạch điện.	Chuyển sang trung tâm bảo hành để thay thế.
	Cầu chì bị cháy.	
	Tấm gia nhiệt bị hỏng.	
Đèn báo đang bật nhưng máy không được làm nóng.	Lỗi mạch điện.	Chuyển sang trung tâm bảo hành để thay thế.
	Tấm gia nhiệt bị hỏng.	
Cơm vẫn còn sống	Lượng gạo quá ít hay quá nhiều.	Điều chỉnh lượng gạo phù hợp.
	Tỷ lệ gạo và nước không chính xác.	Điều chỉnh tỷ lệ.

Cơm vẫn còn sống.	Lòng nồi trong không được đặt đúng cách nên không chạm được vào tấm gia nhiệt.	Hơi xoay nồi trong để kết nối tốt hơn.
	Có vật cản giữa nồi trong và miếng gia nhiệt.	Loại bỏ vật cản mà không rửa trực tiếp dưới nước.
	Biến dạng của nồi trong.	Chuyển sang trung tâm bảo hành để sửa chữa.
	Lỗi mạch điện.	
Cơm cháy.	Lỗi cảm biến nhiệt độ.	Chuyển sang trung tâm bảo hành để sửa chữa.
	Nồi trong không được đặt đúng cách, không chạm vào tấm gia nhiệt.	
	Hơi xoay nồi trong để kết nối tốt hơn.	
	Nồi trong bị biến dạng.	
Chuyển sang chế độ “Warm” nhanh chóng.	Lỗi mạch điện.	Ngắt điện. Sau khi hạ nhiệt, hãy thử lại.
	Lỗi cảm biến nhiệt độ.	
	Không có nồi trong.	
	Không có nước trong nồi trong.	
Bị trào.	Nồi trong không được đặt đúng cách, không chạm vào tấm gia nhiệt.	Điều chỉnh liều lượng.
	Vượt quá lượng gạo và nước cho phép.	

THÔNG SỐ KỸ THUẬT

Mã sản phẩm	EJR716IVY
Công suất	400W
Dung tích	0.8L
Điện áp	220V
Tần số	50Hz

LocknLock



INSTRUCTION MANUAL

DIGITAL RICE COOKER EJR716IVY

220V, 50Hz, 400W, 0.8L

Read instruction manual before using to use product in safe and appropriate way.
Keep this manual in the proper place in order that we can take it when we need it.

CONTENT

Security warning	15
Product description	17
Control panel	18
Operation steps	18
Preparation steps	19
Operation guide	20
Cleaning and maintenance	21
Trouble shooting	22
Analyze of display failure	22
Technical specifications	23


SECURITY WARNING

1. These cautions are very important to avoid any danger or damage to you or others. Please follow.
2. Wrongly using the appliance despite the following signals may lead to hurt of personnel and loss of property.
3. Please put this appliance away from children. Children is not allowed to operate the appliance individually to avoid electric shoot or scald.
4. It is not allowed to insert metal chip, wire or needles into the appliance or the gap of appliance, otherwise it will cause electric shoot or abnormal function.
5. Please do not put this product directly on the fire or anywhere near the heat source or fire source to avoid damage of product or accident, even danger.
6. Please do not put this product in the unstable, humid, high temperature, smooth and heat-ir-resistant plate (such as plastic tablecloth, cotton cloth, carpet, etc.), to avoid injury accidents and property losses caused by electric shock, fire, falling off, etc.
7. In case of cleaning, moving, maintenance or product failure, pls unplug to prevent leakage or accidental start-up.
8. Please do not use when the power line or plug is damaged or the socket is loose, so as to avoid electric shock and fire.
9. Please apply special power cord. In case of damage, please purchase from after-sales service center to replace..
10. Please separately use the special power socket with 10A or above, do not share the same socket with other high-power electrical appliances at the same time, so as to avoid fire caused by excessive current.
11. Do not plug or unplug with wet hand, otherwise will cause electric shoot or injury.
12. During working, the appliance will generate high temperature and steam. Keep your hand and face away from the steam vent to avoid scald.
13. The inner pot shall not be collided or directly placed on other heat sources for heating, such as gas stove, otherwise it is easy to deform.
14. Keep the body away from water. It is not allowed to wash under running water or soak it in water to avoid electric shock or short circuit.
15. Hold the plug to unplug. Do not pull the power line, otherwise it is easy to damage the power line.
16. When not in use, please unplug the power cord to prevent short circuit, device aging, etc.
17. This product is only for indoor use, not for wet places or outdoor use, to prevent electric shock and damage caused by aging of devices.

18. Before use, it is necessary to ensure that the power cord is reliably connected with the host, or the device will be damaged due to poor contact.
19. The bottom and edge of the inner pot shall be kept clean. There shall be no water drops, rice grains and other sundries on the outside bottom surface of the pot and the surface of the heating plate. The inner pot shall be placed stably, otherwise the components will be burned due to the poor contact between the heating plate and the inner pot.
20. Any unhealthy special personnel to use this product, please consult authorized medical personnel for instructions.
21. Do not put any bagged, canned or bottled goods into this appliance for heating, otherwise there is a risk of explosion.
22. It is strictly forbidden to use any inner not provided by the product to prevent the overheating component from being damaged.
23. The working power supply shall be AC 220V-50HZ. Do not use other power supply, otherwise the components and parts will be damaged or fire, electric shock and other accidents will be caused.
24. When the plug is inserted into the socket, it must be inserted to the end. Otherwise, the components will be overheated and burnt out due to poor contact, causing short circuit or fire.
25. In case of product failure, please send it to after-sales service department for maintenance. Do not dismantle the product or replace the accessories by yourself to avoid fire, electric shock or injury.
26. When the product is working, please do not cover it with wet cloth, in case that the steam cannot be discharged and the body cannot dissipate heat, causing damage to the device.
27. Do not move the product during work.
28. The normal working altitude of this product is 0 ~ 2000m.
29. When the product is working, the temperature will rise. Do not touch the metal part of the product directly to prevent scald.
30. In case of power failure during operation, please unplug first, and then plug again to operate.
31. Please do not open the lid when the product is working to prevent scald.
32. After opening the package, please put the plastic bag into the dustbin immediately to prevent children from playing, resulting in the risk of suffocation.
33. The grounding wire of socket shall be well grounded.
34. Make sure that the power cord does not come into contact with sharp edges, burrs, other sharp objects or objects with high surface heat. This may cause leakage, electric shock or fire.
35. Use the spoon of this product, do not use the utensil with sharp edges and corners, so as to avoid damaging the liner pot.

36. Do not start the operation without the pot with empty pot, so as to avoid damage to components.
37. Please do not touch the high temperature parts such as the inner pot and the innercover when taking rice and other materials, so as to avoid scald.
38. This product is not applicable to the following people: people with sensory or psychological dysfunction, people without relevant experience or knowledge (including children), etc. Unless they are under supervision and guidance of a professional. Take care of children to ensure that they do not play with the product.
39. This product is for home use only. Any fault caused by commercial use, improper use or non-compliance with this manual shall not be included in the warranty, and the company shall not be liable for any accident or injury caused by such fault.
40. The device can not operate with external timer or independent remote control system.
41. Please do not use it for any purpose other than the specified function to avoid machine damage or personal injury.
42. Do not cook acidic food (pH < 5).

PRODUCT DESCRIPTION



CONTROL PANEL




2 4 6 8 10 12	Cooking time
Fast cook	Preset menu
Firewood rice	
Porridge	
Timer	
Reheat	
Steam	
Soup	
Warm/Cancel	

OPERATION STEPS

A. FUNCTION INSTRUCTION

- Connect the power supply. Press “Fast Rice” or “Firewood Rice” to choose the rice function.




B. ADJUST THE COOKING TIME

- Press TIMER button to adjust the cooking time.
- Range: 2\4\6\8\10\12h


C. START WORKING

- After setting the cooking time, release the TIMER button. The machine will start cooking process after 5s.
- The modes which can support TIMER function: Fast cook, Porridge, Reheat, Steam
- Under TIMER status: Time changes by 2 hours by each pressing.
- The shortest TIMER time is 2 hours, the longest TIMER time is 12 hours.



PREPARATION STEPS

1. Measure rice, with the accessory measuring cup
2. Add water



3. Dry the inner pot
- Dry the outside of inner pot with soft cloth.
 - Close the lid and choose the function you want. Then the appliance starts working.



4. All functions of this rice cooker are one-button start. After choosing, the indicator will sparkle to warn you and after 5s, it will automatically go into working status.
5. The water volume under all functions should not be higher than the relative max water level.

OPERATION GUIDE

1. WARM

- After cooking, the rice cooker will automatically enter the warming state. Or press the "warm/ cancel" key to enter the warm state in the standby state.
- The warm function time is 24 hours.




2. REHEAT

- Put the leftovers into the inner pot and ruffle the rice.
- Sprinkle proper amount of drinking water.
- Press the "reheat" button to enter the cooking state


3. SOUP

- Wash the raw materials, cut them into pieces and put them into the inner pot.
- Add water to the inner pot. The water volume should be no more than the maximum water level.
- Press soup button. After 5s, the appliance enters the cooking state



4. STEAM

- Add water to the inner pot.
- Put the steamer with food into the pot.
- Press Steam button. After 5s, the appliance enters the cooking state.
- Under steam function, the water volume should be no less than the water level of 2 cups of rice, and not over than the steamer.



5. PORRIDGE

- Clean the ingredients and put them into the inner pot.
- Add proper water into the relative water level (depends on the rice volume).
- Close the lid, choose porridge function.
- After 5s, it starts cooking.

6. THE APPROXIMATE TIME OF RICE COOK AND FAST COOK.

FUNCTION	RICE VOLUME	
	2 cups of rice	4 cups of rice
FAST COOK	About 25 minutes	About 35 minutes
FIREWOOD RICE	About 50 minutes	About 55 minutes


- This data comes from the test under the conditions of Laboratory (room temperature: 23°C, rated voltage: 220V, rice/ water volume ratio: 1/1.2, rice species: Fulinmen, altitude not more than 1000m).
- The time accounted is from the beginning of cooking to entering the warm state. In addition, it varies according to voltage, room product, season, water quantity and rice variety.

CLEANING AND MAINTENANCE

Note: Please make sure the appliance is power off before cleaning.


1. CLEAN THE BODY AND THE INNER POT

- Please handle the inner pot carefully to avoid deformation due to crash.
- Do not clean the inner pot with steel ball or other hard things to prevent damaging the inner coating.
- Please remove any water, rice or dirt inside or outside the body.
- Take out the inner pot, use soft sponge to clean it and then dry it with soft cloth.



2. CLEAN INNER LID AND STEAM VENT

- Do not pull the sealing ring to remove the inner lid.
- Hold the handle part in the middle to remove it.



TROUBLESHOOTING

NO	FAILURE	REASON	SOLUTION
Before cooking.	Invalid buttons	Power cord may be loose.	Check the power cord.
During cooking.	Vent from other places, except from steam vent.	Outside of inner pot is not wiped dry.	Dry it.
		Deformation of inner pot.	Turn to service center to replace.
		Inner lid or sealing ring is damaged.	Turn to service center to replace.
		Lid is not fully closed.	Close the lid.
	The lid automatically bounces out.	Lid is not fully closed.	Close the lid.
	Slight hiss.	The sound of heating, it is normal.	Not failure, ignore it.
Abnormal display.	Steam in the display screen, not clear.	The sealing ring is damaged or with dirt.	
Odor.	With plastic odor.	At the very beginning use, it is normal. After using for some times, it will disappear.	

ANALYZE OF DISPLAY FAILURE

FAILURE	REASON	SOLUTION
Indicator is not on.	The power is not connected.	Check if the power is well connected.
	Circuit failure.	Turn to service center to repair.
Do not heat up.	Circuit failure.	Turn to service center to repair.
	Fuse burned out.	
	Heating plate failure.	
Indicator is on, but the machine does not heat up.	Circuit failure.	Turn to service center to repair.
	Heating plate failure.	
The rice is still raw.	The volume is too much or too little.	Adjust the volume to make it between the min and max.
	The ratio of rice and water is not correct.	Adjust the ratio.

The rice is still raw.	The inner pot is not well placed. Not touch the heating plate.	Slightly turn the inner pot to make it well connected.
	There is things between the inner pot and heating plate.	Clean the things, please do not wash directly with water.
	Deformation of inner pot.	Turn to service center to repair.
	Circuit failure.	
	Temperature sensor failure.	
Overcooked.	The inner pot is not well placed. Not touch the heating plate.	Slightly turn the inner pot to make it well connected.
	Deformation of inner pot.	Turn to service center to repair.
	Circuit failure.	
	Temperature sensor failure.	
Enter “warm” state quickly.	No inner pot.	Cut off the power. After cool down, it can be used again.
	No water in the inner pot.	
	The inner pot is not well placed. Not touch the heating plate.	
Spillage.	Too much volume.	Adjust the volume.

TECHNICAL SPECIFICATION

Item code	EJR716IVY
Power	400W
Capacity	0.8L
Voltage	220V
Frequency	50Hz