



User Manual





Keyboard x1



Parameter

Physical specification

Standard: 86Keys Connect: 2.4G+BT

Cable length: 1.5m Operation distance: ≤10 meters

Keycap: ABS Switch: Scissor switch-5 million clicks

Weight: 398±50g Dimension: 313*118*15.5mm


Electrical specification

Battery: 350mAh Working time: approx. 175 hours

Charging time: approx. 2.0 hours Key conflict: 6-Key rollover

Compatibility: Win 7/Win 8/Win 10/Win 11/MaC OS/Android

Product views



Indicator light



f: Charging indicator

BT1:BT1


A/BT2 : Caps Lock/BT2

±/BT3 : ScrLock/BT3/Blinking red light indicates

low battery/2.4G

Parameter

Shortcuts



^{*}In BT mode, the keyboard automatically switches operating systems.

Product views

Connection mode





I. 2.4G wireless mode

- 1- Switch to ON:
- 2- Take out receiver from the top of the keyboard;



3- Plug Nano receiver into device.

- 1- Switch to ON:
- 2- Long press FN+1 or 2 or 3 for 3 seconds. Turn on the device BT and search for the keyboard:



- 3- Paring and connection.
- *We can connect 4 different paired devices at the same time. Short press Fn+1~4 to switch.

Tips: cable is for charging only.

LK160D

Mfgr.: Dongguan Togran Electronics Technology Co., Ltd Add.: No. 110, Shidan Rd, Shijie Town, Dongguan City, Guangdong Province, China 523290

Tel.: +86 769 8630 8806 Fax: +86 769 8630 8826 Email: Info@dareu.com CS@dareu.com Web: www.dareu.com